

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

SECTION 1. IDENTIFICATION

Product Name 2NP

Manufacturer Details


Supplier Company Name	FirstPower Group LLC
Address	8941 Dutton Drive Twinsburg, OH 44087
Telephone	(330) 963-2050

Recommended use of the chemical and restrictions on use

Recommended use	Industrial Degreaser
-----------------	----------------------

SECTION 2. HAZARDS IDENTIFICATION

Physical Hazards	Gases Under Pressure	Compressed Gas
Health Hazards	Aspiration Hazard	Category 1

GHS Label Element

Signal Word Danger

Hazard Statement H304 May be fatal if swallowed and enters airways

Precautionary Statement

P301 + P310 IF SWALLOWED: Immediately call a POISON Center/doctor

P331 Do NOT induce vomiting.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to approval waste disposal plant.

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

SECTION 3. COMPOSITION OF/INFORMATION ON INGREDIENTS

Substance / Mixture	Mixture	
Substance Name		
<u>CAS Number</u>	<u>Component Name</u>	<u>Concentration</u>
64742-47-8	Distillates, petroleum, hydrotreated light	>90%
7727-37-9	Nitrogen (Propellant)	<10%

SECTION 4. FIRST AID MEASURES

If inhaled	Remove to fresh air. Seek medical attention if symptoms occur.
In case of skin contact	Wash with warm water and soap as a precaution. Seek medical attention if symptoms occur.
In case of eye contact	Flush eyes with water as a precaution. Seek medical attention if irritation develops and persists.
If swallowed	DO NOT induce vomiting. Seek medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	Mild skin irritation/rash; nausea
Protection for first-aid providers	No special precautions are necessary.
Notes to physician	Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Fire/explosion	NFPA Class IIIB combustible liquid
Suitable extinguishing media	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO ₂)
Unsuitable extinguishing media	None known
Specific hazards during firefighting	Contents under pressure. Pressurized container may rupture.
Hazardous combustion products	Carbon oxides
Specific extinguishing methods	Use extinguishing measures that are

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

	appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate the area.
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleanup	Soak up with inert, absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to the release and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	See <i>engineering measures</i> under section 8 of this SDS.
--------------------	--------------------------------------------------------------

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

Local/Total ventilation	Use only with adequate ventilation.
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	Keep in properly labeled containers. Store in accordance with national regulations.
Materials to avoid	Do not store with the following product types: strong oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	Processing may form hazardous compounds (see SECTION 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
Personal protective equipment	
Respiratory protection	No personal respiratory protective equipment normally required.
Hand protection	Wash hands during breaks and at the end of the day.
Eye protection	Wear safety glasses or face shield.
Skin and body protection	Skin should be washed after contact.
Hygiene measures	Ensure that eye flushing systems and safety showers are located close to the work place. When using, do not eat, drink or smoke. Wash contaminated clothing prior to re-use. These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid
-------------	--------

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

Color:	water-white to straw-yellow
Odor:	Slight hydrocarbon
Odor threshold:	No data available
pH:	No data available
Melting point/freezing point	<-68°C / <-90°F
Initial boiling point and boiling range	>260°C/>500°F
Flash point	109° C / 229°F Method: COC
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapor pressure	No data available
Relative vapor density	No data available
Relative density	0.821
Solubility(ies)	
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	
Viscosity, kinematic	2.45 cSt @40° C / 104°F
Explosive properties	Not explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.
Molecular weight	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Not classified as a reactivity hazard
Chemical stability	Stable under normal conditions

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

Possibility of hazardous reactions	No decomposition if stored and applied as directed.
Conditions to avoid	Keep away from heat and sources of ignition
Incompatible materials	Oxidizing agents
Hazardous decomposition products:	Carbon monoxide

SECTION 11.TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

LD50 Rabbit (dermal): 2,000-4,000 mg/kg

LC50 Rat (inhalation, 4hrs): >5,000 mg/kg

Skin corrosion/irritation

Primary irritation (Rabbit): 3.7 (Max score is 8.0)

Serious eye damage/eye irritation

Primary Irritation (Rabbit): 3.3 (Max. score is 110)

Respiratory or skin sensitization

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways

Carcinogenicity

Contains no ingredient listed as a carcinogen.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by NTP.

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

Reproductive toxicity

Not classified based on available information.

STOT-single expose

Not classified based on available information.

STOT-repeated expose

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Biodegradation

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Resource Conservation and Recovery Act (RCRA)

This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form.

Waste from residues

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of as unused product. Empty containers should be taken to an approved

Stinger Fluid 2NP

Version 1A	Revision Date 8/28/2020	SDS Number 2NP-001-2020	Date of Issue 8/28/2020
---------------	----------------------------	----------------------------	----------------------------

waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

UN number	UN1950
UN proper shipping name	Aerosols, limited quantity
Transport hazard class(es)	
Class	2.2
Label(s)	2.2
Packing group	Not applicable
Special precautions for user	Forbidden from transportation by air
Packaging non-bulk	None
Packaging bulk	None

IATA

UN number	UN1950
UN proper shipping name	Aerosols, non-flammable
Transport hazard class(es)	
Class	2.2
Packing group	Not applicable
ERG Code	2
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions
Cargo aircraft only	Allowed with restrictions

IMDG

UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2
Packing Group	Not applicable.

Stinger Fluid 2NP

Version	Revision Date	SDS Number	Date of Issue
1A	8/28/2020	2NP-001-2020	8/28/2020

Environmental hazards	
Marine pollutant	No
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling

SECTION 15. REGULATORY INFORMATION

US Federal

TSCA: L17-0078

Distillates, petroleum, hydrotreated light CAS 64742-47-8

All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

SARA 302 Status

No chemicals in this material are subject to the reporting requirements of SARA Title III, section 302.

SARA 311/312 Classification

Aspiration Hazard

SARA 313 Chemical

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

OSHA – Highly Hazardous

None of the chemicals in this product are considered highly hazardous by OSHA.

US State Right to Know

None

California Prop 65

None

European/International Regulations

None

Stinger Fluid 2NP

Version
1ARevision Date
8/28/2020SDS Number
2NP-001-2020Date of Issue
8/28/2020

Canada Ingredient Disclosure List

None

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	2
PHYSICAL HAZARD	0

0=not significant, 1=Slight, 2=Moderate, 3=High, 4-Extreme, *=Chronic

Sources of key data used to compile the SDS:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and the European Chemicals Agency, <http://echa.europa.eu/>

Revision Date:

01/01/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end-product, if applicable.